


NOTE

1. EXTEND MAILBOX BEYOND EDGE OF SUPPORT TO ALLOW FOR HINGE ON DOOR. ATTACH BOARD HOLDING BOX TO POST WITH SCREWS OR DOUBLE HEADED NAILS, PERMITTING EASY REMOVAL IF NECESSARY.
2. MAILBOX NUMBER SHALL BE PERMANENTLY MARKED (PAINTED) ON THE BOX IN NUMERALS NOT LESS THAN ONE INCH HIGH.
3. PRIOR TO EXCAVATING SUPPORT POST FOUNDATION HOLE, THE HOMEOWNER SHALL CONTACT THE VILLAGE OF WHEELING AT 459-2620 AND J.U.L.I.E. AT 1-800-892-0123 48 HRS. PRIOR TO DIGGING IN ORDER TO AVOID DAMAGE TO UNDERGROUND UTILITIES OR INJURY(IES) TO PERSON(S).
4. ALL MAILBOX SUPPORTS AND ANY VARIATION TO THIS STANDARD MUST BE APPROVED BY THE VILLAGE OF WHEELING PRIOR TO INSTALLATION.
5. MAILBOX FACE SHALL NOT BE CLOSER THAN 6" FROM BACK OF CURB OR EDGE OF PAVEMENT IF THERE IS NO CURB.



POST TO BE NEAT AND OF ADEQUATE STRENGTH AND SIZE TO SUPPORT MAILBOX, HOWEVER ALL POSTS SHALL MEET THE FOLLOWING REQUIREMENTS:

- MAXIMUM SIZE POSTS:
- 4" X 4" WOOD POST
 - 4-1/2" DIA. WOOD POST
 - 2" DIA. STEEL OR ALUMINUM POST

APPROVED BY UNITED STATES POSTAL SERVICE ON NOVEMBER 2, 1990.



VILLAGE OF WHEELING
ENGINEERING DIVISION
2 COMMUNITY BOULEVARD
WHEELING, IL 60090
WWW.WHEELINGIL.GOV

MAILBOX SUPPORT AND ATTACHMENT DESIGN

VILLAGE OF WHEELING
SPECIFICATIONS AND DETAILS
FILE LOCATION
T:\ENGINEERING\STANDARDS

REVISIONS

MTP	1-19-10 AUTOCAD FILE
KAG	12-2-16 AUTOCAD FILE

DETAIL NO.
R-19